



Global Solution Group

G-Chem
your true
chemical partner





Global Solution Group (GSG) is a **Manufacturer & Exporter of PAINT DRIERS, FRP DRIERS and SOLID & LIQUID PVC STABILIZERS**. We are also on Trading, Marketing & Distribution Company for raw material chemicals based in New Delhi. Established in the year 2013, apart from the role of Distributor, we also act as Stockiest & Supply Chain Partners for our customers & suppliers. With a portfolio of variety of products and a highly diverse supplier base, Global Solution Group offers a one-stop shop solution to worldwide customers.

GSG is a global supplier of Metal Organics offering market-driven solutions to the paints & coatings, printing inks, unsaturated polyester, Artificial Leather, Flex, Calendaring, PVC Films & PVC Pipes industries. In addition, we develop customized products for specific applications to meet specific and demanding performance requirements.



We are committed to providing consistent, unrelenting and reliable service to our customers by offering a comprehensive product line and research and development facilities to meet the ever-changing needs of our customer. We work closely with our customers to offer them tailor-made products according to their requirements. Our key strength is our customer service team with problem-solving capabilities to ensure complete customer satisfaction. We have a highly motivated production, sales and technical team dedicated to meeting customers' individual needs.

PRODUCT RANGE

PAINT DRIERS

FRP DRIERS

LIQUID PVC STABILIZERS



VISION

Be the first-choice chemistry solution source for our customers

To be the market leader in the "Fine Chemicals domain" with a Global perspective by exceeding Customer expectations in Quality and Service, attain operational excellence in Manufacturing, Total Quality Management, Safety & Supply Chain facilitated through our fully compliant state-of-the-art manufacturing plant.

MISSION

To delight our Customers, Stakeholders & Employees by consistently manufacturing high quality products through Innovation, Research and Development and by maintaining Global best practices in Quality standards and Safety.

BUSINESS NETWORK



CORE STRENGTH

- ✓ More than 20 years of production management experience for Specialty Chemicals
- ✓ Ability to offer a wide range of operation capabilities
- ✓ Dedicated personnel with substantial work experience with leading MNCs
- ✓ Continuous process innovation (R&D), Speed, Quality and cost effective solutions
- ✓ We have our own shipping, clearing forwarding & transportation division, due to which we are cost effective and provide best supply chain and logistic solution globally.

PAINT DRIERS

FOR PAINT & INK INDUSTRY

NAME OF THE PRODUCTS	APPLICATION		COLOUR & APPEARANCE	METAL (% AGE)	PACKING	
	PAINT	INK			BARREL	DRUM
Cobalt Octoate 6%	✓	✓	Clear Violet Liquid	06 ± 0.2	190 KG	22 KG
Cobalt Octoate 8%	✓	✓	Clear Violet Liquid	08 ± 0.2	190 KG	22 KG
Cobalt Octoate 10%	✓	✓	Clear Violet Liquid	10 ± 0.2	200 KG	22 KG
Cobalt Octoate 12%	✓	✓	Clear Violet Liquid	12 ± 0.2	200 KG	22 KG
Calcium Octoate 3%	✓	✓	Colorless To Straw	03 ± 0.2	180 KG	22 KG
Calcium Octoate 5%	✓	✓	Colorless To Straw	05 ± 0.2	180 KG	22 KG
Calcium Octoate 10%	✓	✓	Colorless To Straw	10 ± 0.2	200 KG	22 KG
Lead Octoate 18%	✓	✓	Pale Yellow	18 ± 0.2	200KG	22 KG
Lead Octoate 24%	✓	✓	Pale Yellow	24 ± 0.3	225 KG	25 KG
Lead Octoate 32%	✓	✓	Pale Yellow	32 ± 0.4	225 KG	25 KG
Lead Octoate 36%	✓	✓	Pale Yellow	36 ± 0.4	250 KG	25 KG
Manganese Octoate 6%	✓	✓	Dark Brown Liquid	06 ± 0.2	190 KG	22 KG
Manganese Octoate 8%	✓	✓	Dark Brown Liquid	08 ± 0.2	190 KG	22 KG
Manganese Octoate 10%	✓	✓	Dark Brown Liquid	10 ± 0.2	200 KG	22 KG
Zinc Octoate 6%	✓	✓	Colorless To Pale Yellow	06 ± 0.2	180 KG	22 KG
Zinc Octoate 8%	✓	✓	Colorless To Pale Yellow	08 ± 0.2	180 KG	22 KG
Zinc Octoate 12%	✓	✓	Colorless To Pale Yellow	12 ± 0.2	200 KG	22 KG
Zinc Octoate 18%	✓	✓	Colorless To Pale Yellow	18 ± 0.2	200 KG	22 KG
Zirconium Octoate 6%	✓	✓	Light Yellow Liquid	06 ± 0.2	180 KG	22 KG
Zirconium Octoate 12%	✓	✓	Light Yellow Liquid	12 ± 0.2	200 KG	22 KG
Zirconium Octoate 18%	✓	✓	Light Yellow Liquid	18 ± 0.2	200 KG	22 KG
Zirconium Octoate 24%	✓	✓	Light Yellow Liquid	24 ± 0.3	200 KG	22 KG

PAINT DRIERS

FOR PAINT & INK INDUSTRY

NAME OF THE PRODUCTS	APPLICATION		COLOUR & APPEARANCE	METAL (% AGE)	PACKING	
	PAINT	INK			BARREL	DRUM
Combination GW-23 (Cobalt, Zirconium, Calcium)	✓	✓	Clear Violet Liquid	5 ± 0.5	180 KG	22 KG
Combination G-25 (Cobalt, Lead, Manganese)	✓	✓	Brown Liquid	20 ± 0.3	200 KG	22 KG
Combination G-154 (Cobalt, Lead, Manganese)	✓	✓	Brown Liquid	15 ± 0.2	200 KG	22 KG
Combination G-121 (Cobalt, Lead, Manganese)	✓	✓	Brown Liquid	15 ± 0.4	200 KG	22 KG
G-Chem 901 (Combination Driers)	✓	✓	Violet Liquid	9 ± 0.3	200 KG	22 KG
G-Chem 701 (Combination Driers)	✓	✓	Violet Liquid	10.5 ± 0.4	200 KG	22 KG
G-Chem 1101 (Combination Driers)	✓	✓	Violet Liquid	8.5 ± 0.2	200 KG	22 KG
G-ChemZ 12% (Replacement of Zirconium)	✓	✓	Colorless to Straw	12 ± 0.3	200 KG	22 KG
G-ChemZ 18% (Replacement of Zirconium)	✓	✓	Colorless to Straw	18 ± 0.3	200 KG	22 KG
G-Chem BXPB (Replacement of Lead)	✓	✓	Violet Liquid	10 ± 0.2	200 KG	22 KG
Strontium Octoate 10%	✓	✓	Colorless to Straw	10 ± 0.2	200 KG	22 KG
Barium Octoate 10%	✓	✓	Colorless to Straw	10 ± 0.2	200 KG	22 KG
Barium Octoate 12%	✓	✓	Colorless to Straw	12 ± 0.2	200 KG	22 KG
Barium Octoate 15%	✓	✓	Colorless to Straw	15 ± 0.2	200KG	22KG
MEK Oxime (Anti-Skinning Agent)	✓	✓	Water Clear		190 KG	22 KG



FRP DRIERS (ACCELERATORS) FOR FRP & UNSATURATED POLYESTER RESIN INDUSTRY

NAME OF THE PRODUCTS	COLOUR & APPEARANCE	METAL (% AGE)	PACKING	
			BARREL	DRUM
Cobalt Octoate 2% FRP	Clear Violet Liquid	02 ±0.2	180 KG	22 KG
Cobalt Octoate 3% FRP	Clear Violet Liquid	03 ± 0.2	190 KG	22 KG
Cobalt Octoate 6% FRP	Clear Violet Liquid	06 ± 0.2	190 KG	22 KG
Cobalt Octoate 12% FRP	Clear Violet Liquid	12 ± 0.2	200 KG	22 KG
Cobalt Octoate 2% FRP (PN)	Clear Violet Liquid	02 ±0.2	180 KG	22 KG
Cobalt Octoate 3% FRP (PN)	Clear Violet Liquid	03 ± 0.2	190 KG	22 KG
Cobalt Octoate 6% FRP (PN)	Clear Violet Liquid	06 ± 0.2	190 KG	22 KG
Cobalt Octoate 12% FRP (PN)	Clear Violet Liquid	12 ± 0.2	200 KG	22 KG
Cobalt Octoate 3% FRP (CR)	Clear Violet Liquid	03 ± 0.2	190 KG	22 KG
Cobalt Octoate 6% FRP (CR)	Clear Violet Liquid	06 ± 0.2	190 KG	22 KG
Cobalt Octoate 12% FRP (CR)	Clear Violet Liquid	12 ± 0.2	200 KG	22 KG
Cobalt Octoate 2% (101)	Clear Violet Liquid	02 ±0.2	180 KG	22 KG
Cobalt Octoate 3% (101)	Clear Violet Liquid	03 ± 0.2	180 KG	22 KG
Cobalt Octoate 6% (101)	Clear Violet Liquid	06 ± 0.2	190 KG	22 KG
Cobalt Octoate 12% (101)	Clear Violet Liquid	12 ± 0.2	200 KG	22 KG
Colorless Cobalt	Clear Violet Liquid	-	180 KG	22 KG



LIQUID PVC STABILIZER

Global Solution Group (GSG) is also engaged into the manufacturing of Liquid PVC Stabilizers and Kickers (Activators). The liquid mixed metal stabilizers are used in several PVC flexible applications like calendering films ,extruded profiles, injection moulding soles, PVC footwear, extrusion hoses and plastisoles like flooring, wall covering, artificial leather cloth, coated fabrics and toys.

GRADE	METAL TYPE	STABILIZER/ KICKER	PHYSICAL FORM	NON VOLATILE CONTENT	PACKING (KG)	APPLICATION
G- Chem 6200	BARIUM-CADMIUM - ZINC	STABILIZER	CLEAR TO PALE YELLOW LIQUID	52±3 (110°±5 – 1 HOUR)	190 KG	STABILIZER FOR PLASTISOL, FLEX,CALENDERING,FLOORING, COMPOUNDS,PVC FILMS ETC.
G- Chem 6204	BARIUM-CADMIUM- ZINC	STABILIZER	CLEAR TO PALE YELLOW LIQUID	32±3 (110°±5 – 1 HOUR)	190 KG	STABILIZER FOR PLASTISOL, FLEX,CALENDERING,FLOORING, COMPOUNDS,PVC FILMS ETC.
G- Chem 6300	BARIUM-CADMIUM- ZINC	STABILIZER	CLEAR TRANSPARENT AMBER LIQUID	54±3 (110°±5 – 1 HOUR)	190 KG	STABILIZER FOR PLASTISOL, FLEX,CALENDERING,FLOORING, COMPOUNDS,PVC FILMS ETC.
G- Chem 6301	BARIUM-CADMIUM- ZINC	STABILIZER	CLEAR TRANSPARENT LIGHT AMBER LIQUID	28±3 (110°±5 – 1 HOUR)	190 KG	STABILIZER FOR PLASTISOL, FLEX,CALENDERING,FLOORING, COMPOUNDS,PVC FILMS ETC.
G- Chem 9044	BARIUM - CADMIUM - LEAD	STABILIZER	CLEAR TRANSPARENT PALE YELLOW VISCOUS LIQUID	67±4 (110°±5 – 1 HOUR)	200 KG	STABILIZER FOR FLEXIBLE CALENDERING , EXTRUSION AND BLOWN FILM, FLEXIBLE AND SUCTION HOSE PIPE.
G- Chem 7600	BARIUM-ZINC	STABILIZER	CLEAR TRANSPARENT AMBER LIQUID	72±4 (110°±5 – 1 HOUR)	190 KG	STABILIZER FOR ARTIFICIAL LEATHER CLOTH, EXTRUSION, MOULDING COMPOUNDS AND PVC COATED FABRICS.
G- Chem 7100	BARIUM-ZINC	STABILIZER	CLEAR TRANSPARENT LIGHT YELLOW LIQUID	45±4 (110°±5 – 1 HOUR)	190 KG	STABILIZER FOR ARTIFICIAL LEATHER CLOTH,EXTRUSION, MOULDING COMPOUNDS AND PVC COATED FABRICS.
G- Chem 7700	BARIUM - ZINC	STABILIZER (SMELL FREE)	CLEAR TRANSPARENT TO PALE YELLOW LIQUID	41±3 (110°±5 – 1 HOUR)	190 KG	STABILIZER FOR ARTIFICIAL LEATHER CLOTH,GARDEN PIPE,HOSE PIPES AND PVC COATED FABRICS.
G- Chem 6670	BARIUM - ZINC	STABILIZER	CLEAR TRANSPARENT TO PALE YELLOW LIQUID	40±3 (110°±5 – 1 HOUR)	190 KG	STABILIZER FOR ARTIFICIAL LEATHER CLOTH,GARDEN PIPE,HOSE PIPES AND PVC COATED FABRICS.
G- Chem 7277	BARIUM - ZINC	STABILIZER	CLEAR TRANSPARENT TO PALE YELLOW LIQUID	70±4 (110°±5 – 1 HOUR)	200 KG	HIGHLY CONCENTRATED STABILIZER FOR ARTIFICIAL LEATHER CLOTH, GARDEN PIPE,HOSE PIPES AND PVC COATED FABRICS.
G- Chem 9020	POTASSIUM - ZINC	MEDIUM KICKER	CLEAR TRANSPARENT PALE YELLOW LIQUID	50±4 (110°±5 – 1 HOUR)	190 KG	MEDIUM KICKER FOR FOAMED PLASTISOL , LEATHER CLOTH WITH UNIFORM CELL STRUCTURE.
G- Chem 9048	POTASSIUM - ZINC	FAST KICKER	CLEAR TRANSPARENT VISCOUS PALE YELLOW LIQUID	85±4 (110°±5 – 1 HOUR)	200 KG	FAST KICKER FOR FOAMED PLASTISOL , LEATHER CLOTH WITH UNIFORM CELL STRUCTURE.
G- Chem 9050	POTASSIUM - ZINC	MEDIUM KICKER	CLEAR TRANSPARENT PALE YELLOW LIQUID	48±3 (110°±5 – 1 HOUR)	190 KG	MEDIUM KICKER FOR FOAMED PLASTISOL AND LEATHER CLOTH WITH UNIFORM CELL STRUCTURE.
G- Chem 9059	BARIUM-ZINC	MEDIUM KICKER	CLEAR TRANSPARENT AMBER LIQUID	56±4 (110°±5 – 1 HOUR)	190 KG	MEDIUM KICKER FOR FOAM LEATHER CLOTH ,COMPOUND WITH UNIFORM CELL STRUCTURE & GOOD THERMAL STABILITY
G- Chem 9299	BARIUM-ZINC	FAST KICKER	CLEAR TRANSPARENT AMBER LIQUID	60±3 (110°±5 – 1 HOUR)	200 KG	KICKER FOR FOAM LEATHER CLOTH , COMPOUND WITH UNIFORM CELL STRUCTURE & GOOD THERMAL STABILITY
G- Chem 9066	BARIUM - ZINC	MEDIUM KICKER	CLEAR TRANSPARENT VISCOUS AMBER LIQUID	79±3 (110°±5 – 1 HOUR)	200 KG	KICKER FOR FOAM LEATHER CLOTH , COMPOUND WITH UNIFORM CELL STRUCTURE & GOOD THERMAL STABILITY
G- Chem 9229	CADMIUM - ZINC	FAST KICKER	CLEAR TRANSPARENT TO PALE YELLOW LIQUID	65±4 (110°±5 – 1 HOUR)	200 KG	KICKER FOR FOAM LEATHER CLOTH , COMPOUNDS AND EXTRUSION.





Global Solution Group

GLOBAL SOLUTION GROUP

Office : RZ - B / 108, DARBI EXTENTION (EAST),
SOUTH WEST DELHI, NEW DELHI – 110045.

Mob.: +91-8882578939, 8882415782

E-mail : sales@gsg.net.in,

gchem.gsg@gmail.com

Website: www.gsg.net.in

